

# Firework – Ceiling Lamp



# Parameter

**Size:** L25.2\*W1.9\*H9.8"

**Light Source:** LED Filament

**Material:** Iron Plate, D0.6" PC Tube

**Dim:** Stepless, Additional Wall Dimmer Required

**Finish:** Chrome


**Brightness:** 2400LM

**CCT:** 3000K

**Certification:** UL/ETL

**Lifetime:** 25000H


**CRI:** 80



HANGKE



# Firework – Wall Lamp



# Parameter

**Size:** L19.6\*W4.9\*H12.2"

**Light Source:** LED Filament

**Material:** Iron Plate, D0.6" PC Tube

**Dim:** No

**Switch 3-Stage:** Tube & Backlight On—Tube On—Off

**Finish:** Chrome


**Brightness:** 800LM, Backlight 100LM

**CCT:** 3000K


**Certification:** UL/ETL


**Lifetime:** 25000H

**CRI:** 80



# Firework – Pendant A





# Parameter

**Size:** D25.2\*H7.9-59"

**Light Source:** LED Filament

**Material:** Iron Plate, D0.6" PC Tube, PC Connectors

**Dim:** Stepless, Additional Wall Dimmer Required

**Adjustable Height:** Yes, Manual, Fix Height While Installing

**Finish:** Chrome


**Brightness:** 2400LM

**CCT:** 3000K

**Certification:** UL/ETL

**Lifetime:** 25000H

**CRI:** 80



# Firework – Pendant B





# Parameter

**Size:** D25.2\*H18.9-59"

**Light Source:** LED Filament

**Material:** Iron Plate, D0.6" PC Tube, PC Connectors

**Dim:** Stepless, Additional Wall Dimmer Required

**Adjustable Height:** Yes, Manual, Fix Height While Installing

**Finish:** Matt Black


**Brightness:** 3600LM

**CCT:** 3000K


**Certification:** UL/ETL

**Lifetime:** 25000H

**CRI:** 80



# Firework – Floor Lamp



# Parameter

**Size:** D10.2\*H59"

**Light Source:** LED Filament

**Material:** Iron Plate, D0.6" PC Tube

**Dim:** Yes, 3-Step Switch Dim

**Finish:** Matt Black


**Brightness:** 1800LM

**CCT:** 3000K

**Certification:** UL/ETL

**Lifetime:** 25000H

**CRI:** 80



# Firework – Table Lamp

HANGKE



# Parameter

**Size:** D5.9\*H17.1"

**Light Source:** LED Filament

**Material:** Iron Plate, D0.6" PC Tube

**Dim:** Yes, Stepless Touch Dim

**Function:** Type-C Charging Socket

**Finish:** Matt Black

**Brightness:** 500LM

**CCT:** 3000K

**Certification:** UL/ETL

**Lifetime:** 25000H

**CRI:** 80

