



# **PRODUCT DATASHEET**

# Fila Night





# Area of application

- Living areas
- Bars and restaurants
- Office
- Outdoor balcony

#### **Product benefit**

- The 1.5mm thin filament boasts flexibility and thermal endurance
- Excellent light quality and 360-degree uniform illumination without shadows
- Playability and interactivity of flexible magnetic filaments

#### **Product feature**

- Integrated rechargeable lithium battery which can be charged USB cable



# **TECHNICAL DATA**

# **Electrical data**


Nominal wattage	1.2 W
Nominal voltage	5.0 V
Mains frequency	0 Hz
Nominal current	1000 mA
Protection class	ш
Operating mode	Battery

#### **Photometrical data**

Luminous flux	100 lm
Luminous efficacy	MAX 80 lm/W
Color temperature	2700 K
Light color (designation)	Soft White
Color rendering index Ra	> 80
Standard deviation of color matching	< 6 sdcm
Photobiological safety group acc. to EN62778	RG0
Photobiological safety group acc. to EN62471	RG0

# **Dimensions & Weight**

Length	91.5 mm(3.6")
Width	91.5 mm(3.6")
Height	241.5 mm(9.5")
Product weight	500.0 g



# **Materials & Colors**

Product color	Smoky / White
Housing color	Clear
Body material	Aluminium PC

# **Application & Mounting**

Ambient temperature range	-20 °C+40 °C	
Type of connection	USB	
Type of protection	IP54	
Function 3-Step Touch Dim, 10%-100%-Breathing		
Mounting type Protable		
Application environment	Outdoor	
LED module replaceable	Not replaceable	
With light source	Yes	

# Lifespan

Lifespan L70/B50 at 25 °C	15000 h <sup>1)</sup>
· · · · · ·	

<sup>1)</sup> t[h]: L70 / B50 @ 25 °C (Ta), t[h]: L80 / B10 @ 25 °C (Ta), t[h]: L90 / B10 @ 25 °C (Ta)

# **BATTERY**

Type of Battery	Lithium ion	
Battery size [GMS]	X103665 65mm*36mm*10mm	
Number of included batteries	1	
Nominal voltage of battery	3.7V	
Nominal capacity of battery	3000mAh	
Battery Charging time	4H	
Usage time after fully charged	8H	

# **Certificates & Standards**

Standards	CE/FCC/RohS/REACH
Battery	UN38.3

# **EQUIPMENT / ACCESSORIES**

- 1m usb-type c charging cable include

# **LOGISTICAL DATA**

Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume(CBM)
Color box(1pcs/1box)	123 mm x 119 mm x 292 mm(4.8"x4.7"x11.5")	655 g	0.0043 m <sup>3</sup>
Shipping box(6pcs/1box)	262 mm x 376 mm x 315 mm(10.3"x14.8"x12.4")	3687 g	0.031 m <sup>3</sup>

# **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.